

Table 9. Wiregrass on-farm cotton variety trials, 2006.

Producers: Walt Corcoran, Randy Shields, and J.P. Kelley

Cooperators: William Birdsong, Brandon Dillard, and Dale Monks

Funding: Alabama cotton producers, Alabama Cotton Commission, and Cotton Incorporated

Variety	Seed cotton yield/acre		
	Barbour Co.	Geneva Co.	Houston Co.
DP 555 BGRR	4370	2340	585
DP 515 BGRR	4256	2307	640
FM 960 BGRR	4131	1846	650
DP 494 RR	4069	1815	494
ST 6565 B2RF	4059	1900	559
FM 991 BGRR	4025	1941	505
FM 9063 B2RF	3966	1954	351
ST 5599 BR	3927	1773	618
ST 4575 BR	3885	1941	556
PHY 370 WR	3883	1798	548
DP 143 B2RF	3877	2383	451
DP 164 B2RF	3867	1993	505
DP 117 B2RF	3830	1776	358
PHY 480 WR	3812	NA	593
DP 454 BGRR	3806	NA	373
DP 488 BGRR	3724	2388	414
DP 449 BGRR	3724	1887	580
ST 5242 BR	3715	1757	517
DP 455 BGRR	3684	2004	344
DP 432 RR	3605	2018	328
FM 991 RR	3507	1602	475
ST 4664 RF	3502	2033	566
DP 167 RF	3477	2171	510
DP 147 RF	3401	1982	516
CG 4020 B2RF	3388	1897	462
ST 4700 B2RF	3235	2396	333
DP 445 BGRR	3221	1631	403
DG 2520 B2RF	3217	2425	407
CG 3020 B2RF	3043	1729	411
ST 4357 B2RF	3012	1939	333
CG 3520 B2RF	2924	1798	403
DG 2100 B2RF	2682	1867	362
DG OA265 BR	2253	1439	392
BCSX0680 B2F	NA	NA	599

*Plots were planted as follows: Barbour Co., 2 strips/variety; Geneva Co., 1 strip/variety; and Houston Co., 1 strip/variety. Seed were treated with the company's standard fungicide package with no additional seed treatment applied. Temik at 5 lb/acre was applied in-furrow at planting for thrips and nematode management.

Funding from Cotton Incorporated and the Alabama Cotton Commission was used in conducting this trial. We appreciate the support that Alabama cotton producers provide to our educational programs each year.